

OUR COMPANY'S GOAL:

We are dedicated to reach our goal to make our own DLB brand a globally respected and accepted trademark of our high quality ESD products, like other trademarks of the leading manufacturers (American, German, Italian, etc. companies) of the international market.

With our Hungarian product development and production our aim is to provide guidance on ESD product's market and with innovations we want to improve the effectiveness of ESD protection. With this activity, we increase the security of electronics production and prevent the malfunction of electronic products by static discharge and help the safe use of them. With their work our colleagues can contribute to the proper work of lifesaving products: for example to avoid mistakes in production of car braking electronics or to provide the proper operation of medical diagnostic devices.

Our company ensures the livelihood of more than 80 Hungarian families and we strive with our product and market development to continue to increase D és Tsa Team.





About our company	6
ESD Requirements	8
ESD Fabrics	10
Washing instructions and warranty	. 20
ECO LINE Collection	. 22
STANDARD LINE Collection	. 24
PREMIUM LINE Collection	. 42
BUSINESS LINE Collection	. 50
SUMMER LINE Collection	. 58
WINTER LINE Collection	. 74
Other ESD products	100
CLEANROOM LINE Collection	
Size charts, figures	. 112
LOGO DESIGN	. 116
Notes	. 117

^{*} The product and fabric colors shown in the catalog may differ from the colors of the manufactured products due to printing, and we do not accept any responsibility for this. Please request our free fabric sample catalog. This catalog is for informational purposes only, and our company accepts no responsibility for any typographical errors (technical data, sizes, etc.) and reserves the right to make changes.

0

ABOUT OUR COMPANY


D és Tsa Bt. was established in 1996. It is a 100 % Hungarian owned company. Our main business segment is to provide help in static control - we offer a large scale of products, and different services for ensure well-working ESD protection at companies. These can be helpful for providing security in electronic manufacturing and prevent the damage of electronic products by static discharge. Our business grew gradually through the years. We established our reputation both on domestic and international markets with our quality, self-produced **ESD garments.** You can purchase **ESD entrance systems**, test stations and measurement instruments with our AIJGO brand name. But we can help you with several more items too, for example:

- Cleanroom garments
- ESD Chairs
- ESD Floor mats and table mats
- ESD Packaging
- ESD Personal Protection Equipments
- ESD and Personal Protection Shoes
- Soldering Stations
- Soldering Materials
- Hand Tools

In the partner network of D és Tsa Bt. there are leading multinational electronics manufacturing corporations, which look on our company as their strategic supplier partner on ESD issues. Our outstanding results could be thank to our highly professional readiness, flexibility and the high quality standards of our sales and production. D és Tsa Bt. is a certified company on the basis of EN ISO 9001:2015 quality management system.

We offer different ESD services which prove our professionalism and made our position on the market even stronger:

- ESD training
- ESD audit
- Real-time ESD event investigation
- Project support (design, implementation, maintenance)
- ESD process and related documentation review
- EPA on-site instrumental inspections / reviews (ESD compliance testing of machinery, floor,
- production area, production line compliance measurement)
- Periodic compliance measurements (quarterly, semi-annual)
- ESD measuring instrument training



Our company offers good quality, self-produced ESD clothing products for Hungarian and foreign partners, which are manufactured in accordance with the current international ESD standards. Compliance with the standards is also indicated by a label with the same or similar graphics as the image to the right. If you have a specific need for ESD clothing, you can ask for our help - we can make even one piece if you need it.

YOU DREAM IT - WE MAKE IT.









You can meet with our company and with our products on **PRODUCTRONICA** (Munich, Germany) International Trade Fair.



The quality of our products and the reliability of our company have been successfully able to hold the international markets, which resulting in that most of our production capacity is reserved for export sales.

Based on the feedbacks received from our partners, our slogan has become the following sentence:

"D ÉS TSA BT. OFFERS NOT ONLY PRODUCT BUT COOPERATION AS WELL."

We hope our products and services can greatly assist your work in the present and in the future.



Balázs Dulay Owner and Strategic director

ESD REQUIREMENTS

ACCORDING TO IEC 61340-4-9:2024

Common industry description/Use of garment system:	Garment type:	Test procedure:	Specific resistance values:
Garments with some electrical field suppression properties	Static control garment	Resistance point to point	< 1,0 × 10 ¹¹ Ω
Garments with a designated groundable point	Groundable static control garment	Resistance point to point and resistance point to groundable point	< 1,0 × 10 ⁹ Ω
Garment in continuous electrical path with a person; however, not the primary ground path	Groundable static control garment	Resistance point to point and resistance point to groundable point	< 1,0 × 10 ⁹ Ω
Grounded with dual paths to ground via	Groundable static control garment	Resistance point to point and resistance point to groundable point	< 1,0 × 10 ⁹ Ω
continuous monitoring equipment that requires two separate paths to ground	system (garment in combination with person)	Integrated wrist strap in accordance with IEC 61340-4-6:2016	< 3,5 × 10 ⁷ Ω
Grounded through a single wire constant	Groundable static control garment	Resistance point to point and resistance point to groundable point	< 1,0 × 10 ⁹ Ω
monitor system	system (garment in combination with person)	Integrated wrist strap in accordance with IEC 61340-4-6:2016	< 3,5 × 10 ⁷ Ω
Garment used as primary grounding	Groundable static control garment	Resistance point to point and resistance point to groundable point	< 1,0 × 10 ⁹ Ω
path for personnel	system (garment in combination with person)	Integrated wrist strap in accordance with IEC 61340-4-6:2016	< 3,5 × 10 ⁷ Ω



Our ESD clothing meets the above requirements!

For groundable ESD protective clothing, please use the additional order codes: GND (see the first two images on the right: wrist strap + conductive strip + snap button on the pocket) or **GNDR** (see the third and fourth images on the right: conductive cuff fingertip + snap button on the button band).











OEKO-TEX® STANDARD 100 CERTIFICATE -

to prove that products are harmless for human health

We were granted with Oeko-Tex® Standard 100 certificate for more products from our ESD Polo-shirts and ESD T-shirts as well.

"Oeko-Tex® Standard 100 is one of the world's best-known labels for textiles tested for harmful substances."


"If a textile article carries the STANDARD 100 label, you can be certain that every component of this article, i.e. every thread, button and other accessories, has been tested for harmful substances and that the article therefore is harmless for human health."

The test is conducted by independent OEKO-TEX® partner institutes on the basis of an extensive OEKO-TEX® criteria catalog. "In the test they take into account numerous regulated and non-regulated substances, which may be harmful to human health. In many cases the limit values for the STANDARD 100 go beyond national and international requirements."

Source: https://www.oeko-tex.com/en/our-standards/oeko-tex-standard-100







ESD FABRICS

Туре	KK01	TH55	CT35	TH65	MC24	EECO01	CR10	CR10HI	WC10	TS15	TS16	PS21	LY20	THSS	THSB	FL1
Material	Woven	Woven	Woven	Woven	Woven	Woven	Woven (cleanroom)	Woven (cleanroom)	Woven (water repellent)	Knitted	Knitted (Pique)	Knitted	Knitted	Knitted	Knitted (Fluffy)	Fleece
Polyester (%)	74	63	69	36	66	63	98	98	98	-	-	47	-	48	48	96
Cotton (%)	24	33	27	60	32	33	-	-	-	96	96	50	88	48	48	-
Conductive fibre (%)	2	4	4	4	2	4	2	2	2	4	4	3	4	4	4	4
Lycra (%)	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-
Weight (g/m²)	125	155	130	160	240	150	115	115	115	150	210	210	200	280	320	280
Color	BK DZ DG GA LG W NB RB LB MG LE B R O Y LPK	RB LB GA W	w	w	DG	W	W	V	NB	BK NB RB DG GA B O GR W	NB	BK NB RB PR DG GA W	BK	BK NB RB V GA W	BK RB	BK NB DG O
Page	12	2	1	3		14	1	5	1	6	1	7	1	8	1	9

The color shades of our fabric products may vary from shipment to shipment.

KK01 FABRIC

FEATURES

- Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- **Composition:** 74% Polyester, 24% Cotton, 2% Conductive fibre
- > Fabric weight: 125 g/m²
- **Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 50 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Drum drying with gentle progra

Drum drying with gentle programme (low temperature, maximum 50°C) Do not bleach!

Detailed washing instructions and warranty conditions on page 20











STANDARD COLORS

Black (**BK**), Dark Green (**DZ**), Dark Grey (**DG**), Grey (**GA**), Light Grey (**LG**), White (**W**), Navy Blue (**NB**), Royal Blue (**RB**), Light Blue (**LB**), Mint Green (**MG**), Light Green (**LE**), Burgundy (**B**), Red (**R**), Orange (**O**), Yellow (**Y**), Light Pink (**LPK**)



The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

TH55 FABRIC

FEATURES

- > Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- > Composition: 63% Polyester 33% Cotton 4% Conductive fibre
- > Fabric weight: 155 g/m²
- **Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 50 industrial washings
- Developed for industrial washing



Do not use acid or alkali!

Drum drying with gentle programme (low temperature, maximum 50°C)

Do not bleach!

Detailed washing instructions and warranty conditions on page 20











STANDARD COLORS

Royal Blue (RB), Light Blue (LB), Grey (GA), White (W)



The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

CT35 FABRIC

FEATURES

- > Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- **Composition:** 69% Polyester 27% Cotton 4% Conductive fibre
- > Fabric weight: 130 g/m²
- **> Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 100 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali!

Drum drying with gentle programme (low temperature, maximum 50°C)

Do not bleach!

Detailed washing instructions and warranty conditions on page 20











STANDARD COLORS

White (W)

W

The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the color shown may vary. For current expected delivery times and other requested colors please contact us.

TH65 FABRIC

FEATURES

- > Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- > Composition: 36% Polyester 60% Cotton 4% Conductive fibre
- **> Fabric weight:** 160 g/m²
- **Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- > Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 50 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C

Do not use acid or alkali!

Drum drying with gentle programme (low temperature, maximum 50°C)

Do not bleach!

Detailed washing instructions and warranty conditions on page 20











STANDARD COLORS

White (W)

W

The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the color shown may vary. For current expected delivery times and other requested colors please contact us.

MC24 FABRIC

FEATURES

- Static dissipative woven fabric
- **Composition:** 66% Polyester, 32% Cotton, 2% Conductive fibre
- > Fabric weight: 240 g/m²
- **> Finish:** Workwear
- > Resistance from point to point (Rp): 10⁷ 10¹¹ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 50 industrial washings
- Developed for industrial washing





Detailed washing instructions and warranty conditions on page 20











STANDARD COLORS

Dark Grey (DG)




The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the color shown may vary. For current expected delivery times and other requested colors please contact us.

EECO01 FABRIC

FEATURES

- > Static dissipative woven fabric (carbon loaded yarns in 4 mm grid)
- **Composition:** 63% Polyester 33% Cotton 4% Conductive fibre
- **Fabric weight:** 150 g/m²
- **> Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁹ Ohm
- > Charging time: < 2 seconds
- > Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2 .1:2018, and keeps this compliance after more than 50 industrial washings
- > Developed for industrial washing





Detailed washing instructions and warranty conditions on page 20











STANDARD COLORS

Light Blue (LB), White (W)



W



The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

0

CR10 FABRIC

FEATURES

- Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- > Cleanroom fabric class 10000, ISO 7
- **Composition:** 98% Polyester 2% Conductive fibre
- **> Fabric weight:** 115 g/m²
- **> Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 50 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!













STANDARD COLORS

Light Blue (LB), White (W)





The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

CR10HI FABRIC

FEATURES

- > Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- > Cleanroom fabric class 10000, ISO 7
- > High Visibility fabric
- **Composition:** 98% Polyester 2% Conductive fibre
- **> Fabric weight:** 115 g/m²
- > Finish: Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 50 industrial washings
- > Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!

Detailed washing instructions and warranty conditions on page 20











STANDARD COLORS

Orange (O), Yellow (Y)





The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

WC10 FABRIC

FEATURES

- Static dissipative woven fabric (carbon loaded yarns in 5 mm grid)
- Water repellent material, for outdoor use
- Cleanroom fabric class 10000, ISO 7
- **Composition:** 98% Polyester 2% Conductive fibre
- Fabric weight: 115 g/m²
- Finish: Crease resists, workwear
- Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018. and keeps this compliance after more than 50 industrial washings
- Developed for industrial washing



Drum drying with gentle programme (low temperature,

maximum 50°C) Do not bleach!

Detailed washing instructions and warranty conditions on page 20











STANDARD COLORS

Navy Blue (NB)



The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the color shown may vary. For current expected delivery times and other requested colors please contact us.

TS15 FABRIC

FEATURES

- Static dissipative knitted fabric (with carbon yarn)
- Composition: 96% Cotton 4% Conductive fibre
- > Fabric weight: 150 g/m²
- **Finish:** Crease resist, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- > Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!



Detailed washing instructions and warranty conditions on page 20











STANDARD COLORS

Black (BK), Navy Blue (NB), Royal Blue (RB), Dark Grev (DG), Grey (GA), Burgundy (B), Orange (O), Dark Green (GR), White (W)















W

The color shades of our fabric products may vary from shipment to shipment

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

TS16 FABRIC

FEATURES

- > Static dissipative knitted **PIQUE** fabric (with carbon yarn)
- **Composition:** 96% Cotton 4% Conductive fibre
- > Fabric weight: 210 g/m²
- **> Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!













STANDARD COLORS

Black (BK), Navy Blue (NB), White (W)







The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

PS21 FABRIC

FEATURES

- > Static dissipative knitted fabric (with carbon yarn)
- > Composition: 47% Polyester 50% Cotton 3% Conductive fibre
- > Fabric weight: 210 g/m²
- Finish: Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- > Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!



Detailed washing instructions and warranty conditions on page 20











STANDARD COLORS

Black (**BK**), Navy blue (**NB**), Royal Blue (**RB**), Purple (**PR**), Dark Grey (**DG**), Grey (**GA**), White (**W**),















The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

LY20 FABRIC

FEATURES

- Static dissipative knitted fabric (with carbon yarn)
- > Composition: 88% Cotton 8% Lycra 4% Conductive fibre
- > Fabric weight: 200 g/m²
- **Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!

Detailed washing instructions and warranty conditions on page 20











STANDARD COLORS

Black (BK)



The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the color shown may vary. For current expected delivery times and other requested colors please contact us.

THSS FABRIC

FEATURES

- Static dissipative knitted fabric (with carbon yarn)
- **Composition:** 48% Polyester 48% Cotton 4% Conductive fibre
- > Fabric weight: 280 g/m²
- **> Finish:** Crease resists, workwear
- > Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- > Charging time: < 2 seconds
- > Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- > Developed for industrial washing



Machine washable up to 40 °C Ironing at maximum 110 °C Do not use acid or alkali! Tumble drying is prohibited Do not bleach!

Do not bleach:

Detailed washing instructions and warranty conditions on page 20











STANDARD COLORS

Black (**BK**), Navy blue (**NB**), Royal blue (**RB**), Yellow (**Y**), Grey (**GA**), White (**W**)














The color shades of our fabric products may vary from shipment to shipment.


The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

THSB FABRIC

FEATURES

- Static dissipative knitted fabric (with carbon yarn)
- Fluffy inner side
- Composition: 48% Polyester 48% Cotton 4% Conductive fibre
- Fabric weight: 320 g/m²
- Finish: Crease resists, workwear
- Resistance from point to point (Rp): 10⁶ 10⁷ Ohm
- Charging time: < 2 seconds
- Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018, and keeps this compliance after more than 40 industrial washings
- Developed for industrial washing





Do not bleach!

Detailed washing instructions and warranty conditions on page 20











STANDARD COLORS

Black (BK), Royal blue (RB)




The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

FL1 FABRIC

FEATURES

- Static dissipative knitted fabric (with carbon yarn)
- Composition: 96% Polyester 4% Conductive fibre
- Fabric weight: 280 g/m²
- Finish: Fleece
- Resistance from point to point (Rp): 109 1011 Ohm
- Charging time: < 2 seconds
- > Complies with IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018. and keeps this compliance after more than 40 industrial washings
- > Developed for industrial washing





Ironing at maximum 110 °C Do not use acid or alkali! Tumble drving is prohibited Do not bleach!

Detailed washing instructions and warranty conditions on page 21













STANDARD COLORS

Black (BK). Navy blue (NB). Dark grev (DG). Orange (O). Yellow (Y)











The color shades of our fabric products may vary from shipment to shipment.

The availability of products manufactured from the colors shown may vary. For current expected delivery times and other requested colors please contact us.

WASHING INSTRUCTIONS

Conductive carbon fibres used in ESD fabrics are very sensitive to high temperatures, alkalis, acids, rinses (softeners) and bleaches. Inadequate use may cause damage to carbon fibres and ESD clothing may lose or significantly deteriorate ESD parameters. Therefore, wash ESD clothing very carefully, in each case please follow the instructions:

KK01, TH55, CT35, TH65, MC24, WC10 FABRICS

- 1 In order to preserve the long life of ESD clothings, please use industrial laundries who can provide controlled, documented washing procedures and environment
- 1 Wash in cold or not warmer than 40 °C (104 °F) lukewarm water with neutral liquid detergent
- 1 Do not use detergents and / or rinse aids that contain bleach and / or chlorine
- **1** Bleachers are forbidden
- 1 Do not use rinse aids or detergents with a high alkali or high acid content
- 1 Do not dry clean
- 1 Dry in the open air and / or with drum drying with gentle programme (low temperature, maximum 50 °C (120 °F))
- 1 Does not require ironing, but if absolutely necessary, iron at a maximum temperature of 110 °C (230 °F) without steaming
- 1 Wash all items inside out
- 1 Using deodorant can damage the color of the product
- 1 When drying clothes outdoors, do not expose them to direct sunlight
- 1 Tighten the zippers before each wash











CR10, CR10HI, TS15, TS16, PS21, LY20, THSS, THSB, EECO01 FABRICS

- 1 In the case of knitted fabrics (TS15, TS16, PS21, LY20, THSS,THSB) we suggest to determine personal size with measurement on washed clothes. The sizes given by us in size charts meant values before washing regarding products made from these fabrics.
- 1 We recommend, in order to preserve the conductivity of the garment in the long term, to entrust washing and drying processes to an industrial laundry where they can provide the necessary technological processes and conditions (documented washing procedures and suitable environment). Adapt the associated cleaning processes to the production technology (e.g. cleanroom requirements) of the product at the place of use.
- 1 If the used production technology does not require specific cleaning processes, do washing in cold or lukewarm water at a temperature not warmer than 40 °C (104 °F) with neutral (liquid) detergent.
- 1 Ironing of the garment is not necessary or recommended. If the user does iron the garment, iron at a maximum temperature of 110 °C (230 °F) without steaming.
- 1 Bleachers are forbidden. Do not use rinse aids or detergents with a high alkali or acid content. Do not use detergents and / or rinse aids that contain bleach and / or chlorine.
- 1 Do not use perfumes and deodorants as they may damage the fabric and the color of the product
- 1 Do not dry clean. Tumble drying is prohibited.
- 1 Wash all garments inside out
- 1 Do not expose clothing to direct UV rays. Tighten the zippers before each wash













FL1 FABRIC

- 1 In order to preserve the long life of ESD clothings, please use industrial laundries who can provide controlled, documented washing procedures and environment
- 1 Wash in cold or not warmer than 40 °C (104 °F) lukewarm water with neutral liquid detergent
- 1 Do not use detergents and / or rinse aids that contain bleach and / or chlorine
- Bleachers are forbidden.
- 1 Do not use rinse aids or detergents with a high alkali or high acid content
- 1 Do not dry clean
- 1 Dry in the open air. Tumble drying is prohibited. After centrifugation, hang dry only
- 1 Does not require ironing, but if absolutely necessary, iron at a maximum temperature of 110 °C (230 °F) without steaming
- Wash all items inside out
- 1 Using deodorant can damage the color of the product
- 1 When drying clothes outdoors, do not expose them to direct sunlight
- 1 Tighten the zippers before each wash













WARRANTY

- Department of the warranty is strictly valid under controlled and documented industrial laundry conditions, concern the fabric washing cycle as specified in the technical data's.
- The warranty is NOT valid if the washing process is made in home environment!
- Department to the transfer of the warranty covers ESD parameters and possible sewing errors according to IEC 61340-4-9:2024 and ANSI/ESD STM2.1:2018 standard issued only!
- Department the size and shrinkage differences within the tolerances given at the size charts!
- Our clothing products are provided with the "Operating instructions with symbols" according to the MSZ EN ISO 3758:2012 standard.
- 👂 If the product shows improper tampering (e.g. tread extension or tearing), the complaint can be rejected.



ECO ESL ESD SMOCK

2/3 LENGTH

FEATURES

- » Standard sizes: unisex XS 5XL
- » 2 side pockets, 1 breast pocket with ESD symbol
- » Hidden snap-fasteners
- » Cuff with snap-fasteners

STANDARD FABRICS AND COLORS

EECO01 FABRIC





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

ESL - EECOO1 - W L

style

fabric

color size

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%



Clothing certified according to the international ESD standards, as indicated by this/similar label















29 **EFX ESD SMOCK**











1/3 LENGTH









HIV ESD HIGH VISIBILITY VEST

34

APR ESD APRON

BB ESD BASEBALL STYLE CAP

CAP WITH NET

ESS ESD SMOCK

1/2 LENGTH

FEATURES

- » Standard sizes: Unisex XS 5XL
- » 2 side pockets, 1 breast pocket with ESD logo
- » Hidden snap-fasteners
- » Cuff with snap-fasteners*

SHORT SLEEVED VERSION - CODE: SSL STANDING WAIST KNITTER CODE: AGL GROUNDING SMOCK - CODE: GND/GNDR

STANDARD FABRICS AND COLORS



DEMO VIDEO



ORDERING CODE SAMPLE

ESS - KKO1 - LB L + DLB - RAN - W

style

fabric

color size

option color

DETAILS ON PAGE 113

TH65 FABRIC

W

Clothing certified according to the international ESD standards, as indicated by this/similar label



		DETAILS ON TAGE III								
SIZE CHART	(CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff		32	33	34	35	36	36	37	37	38
Sleeve		57	59	63	67	71	71	73	73	74
Length		78	80	82	84	88	90	92	94	96
Chest		90	98	106	114	122	130	136	142	148
Hip		90	98	106	114	122	130	136	142	148
Shoulde	r	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%



EFS ESD SMOCK

1/2 LENGTH

FEATURES

- » Standard sizes: Female XS 5XL
- » 2 side pockets, 1 breast pocket with ESD logo
- » Hidden snap-fasteners
- » Cuff with snap-fasteners*

STANDARD FABRICS AND COLORS

KK01 FABRIC **TH55 FABRIC** CT35 FABRIC **TH65 FABRIC** LG **CR10 FABRIC CR10HI FABRIC** W You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

EFS - KKO1 - W L + DLB - RAN - W

style

color size

option

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	78	80	82	84	88	90	92	94	96
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Clothing certified according to the international ESD standards, as indicated by this/similar label



ESL ESD SMOCK

2/3 LENGTH

DEMO VIDEO

FEATURES

- » Standard sizes: Unisex XS 5XL
- » 2 side pockets, 1 breast pocket with ESD logo
- » Hidden snap-fasteners
- » Cuff with snap-fasteners

STANDARD FABRICS AND COLORS





ORDERING CODE SAMPLE

- KK01 - W L style fabric

color size



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

DETAILS ON PAGE 113

TH65 FABRIC

W

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%







EFL ESD SMOCK

2/3 LENGTH

FEATURES

- » Standard sizes: Female XS 5XL
- » 2 side pockets, 1 breast pocket with ESD logo
- » Hidden snap-fasteners
- » Cuff with snap-fasteners

STANDARD FABRICS AND COLORS





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

EFL - TH55 - LB L

style

fabric

color size

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%



Clothing certified according to the international ESD standards, as indicated by this/similar label



ESX ESD SMOCK

1/3 LENGTH

FEATURES

- » Standard sizes: Unisex XS 5XL
- » 2 side pockets, 1 breast pocket with ESD logo
- » Hidden snap-fasteners
- » Cuff with snap-fasteners

CODE: AGL CODE: RAN CODE: OTO GROUNDING SMOCK - CODE: GND/GNDR

SHORT SLEEVED VERSION - CODE: SSL

WAIST KNITTER

STANDARD FABRICS AND COLORS



OPTIONAL

DEMO VIDEO



ORDERING CODE SAMPLE

ESX - TH55 - RB L

style fabric

color size



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

DETAILS ON PAGE 113

TH65 FABRIC

W

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	58	60	62	64	68	70	72	74	76
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%





EFX ESD SMOCK


1/3 LENGTH

FEATURES

- » Standard sizes: Female XS 5XL
- » 2 side pockets, 1 breast pocket with ESD logo
- » Hidden snap-fasteners
- » Cuff with snap-fasteners*

STANDARD FABRICS AND COLORS

KK01 FABRIC **TH55 FABRIC** CT35 FABRIC **TH65 FABRIC** LG **CR10 FABRIC CR10HI FABRIC** W You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

EFX - KKO1 - LE L + DLB - RAN - W

style fabric option color color size

DE1	TAILS	ON	PAGE	113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	58	60	62	64	68	70	72	74	76
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Clothing certified according to the international ESD standards, as indicated by this/similar label





FEATURES

- » Standard sizes: Male XS 5XL
- » Straight cut
- » 2 side pockets, 2 additional pockets on the legs, 1 hip pocket with ESD logo
- » Rubberized waist with snap-fastener

STANDARD FABRICS AND COLORS



DEMO VIDEO



ORDERING CODE SAMPLE

ET - KK01 - DG L style fabric

color size



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

Clothing certified according to the international ESD standards, as indicated by this/similar label



DETAILS ON FACE 115											
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL		
Length external	102	104	106	108	110	112	114	116	118		
Hip	98	102	107	111	115	119	123	128	132		

Size tolerance (before washing): 2%

DETAILS ON PAGE 113

ETF ESD FEMALE TROUSERS

FEATURES

- » Standard sizes: Female XS 5XL
- » Straight cut
- » 2 side pockets, 2 additional pockets on the legs, 1 hip pocket with ESD logo
- » Rubberized waist with snap-fastener

STANDARD FABRICS AND COLORS





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

ETF - KK01 - DG L style fabric color size **DEMO VIDEO**



DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Length external	102	104	106	108	110	112	114	116	118
Hip	84	90	96	102	108	114	120	126	132

Clothing certified according to the international ESD standards, as indicated by this/similar label

Size tolerance (before washing): 2%



FEATURES

- » Standard sizes: Unisex XS 5XL
- » 2 side pockets, 1 front pocket with ESD logo
- » 2 side pockets on the legs
- » 2 quick release buckles

STANDARD FABRICS AND COLORS



DEMO VIDEO



ORDERING CODE SAMPLE

OT - KKO1 - RB L color size



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

Clothing certified according to the international ESD o standards, as indicated by this/similar label



	DETAILS ON PAGE 113								
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Length external	102	104	106	108	110	112	114	116	118
Hip	98	102	107	111	115	119	123	128	132

Size tolerance (before washing): 2%

OJ ESD JACKET

FEATURES

- » Standard sizes: Unisex XS 5XL
- » 2 side pockets, 2 breast pockets
- » ESD logo on chest pocket

- » Hidden zipper
- » Rubberized cuff

STANDARD FABRICS AND COLORS

KK01 FABRIC **TH55 FABRIC** CT35 FABRIC LG

CR10 FABRIC

CR10HI FABRIC

MC24 FABRIC

TH65 FABRIC







W



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

OJ - KKO1 - RB L fabric color size

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	61	63	67	71	75	76	77	77	78
Length	63	65	67	69	71	73	75	76	77
Chest	90	98	106	114	122	130	136	142	148
Shoulder	40	43	46	49	52	55	58	61	65
Shoulder-sleeve circumference	56	58	60	62	64	66	68	70	72



Clothing certified according to the international ESD standards, as indicated by this/similar label



HIV ESD HIGH VISIBILITY VEST

FEATURES

- » Standard sizes: Unisex S-5XL
- » With reflective stripes
- » ESD logo on the chest area
- » Hidden snap-fasteners

STANDARD FABRICS AND COLORS

CR10HI FABRIC





Not an occupational safety product



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

HIV - CR10HI - O L

style

fabric

color size



DEMO VIDEO

Clothing certified according to the international ESD o standards, as indicated by this/similar label




							7110	01117	ITT ACE 115					
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL					
Chest	114	118	122	126	130	134	138	142	118					
Length	61	63	65	67	69	71	73	75	132					

Size tolerance (before washing): 2%

DETAILS ON PAGE 113







FEATURES

- » Standard sizes: XS 5XL
- » ESD logo on pocket
- » 1 pocket
- » Adjustable side straps with snap fasteners
- » Pullover type

STANDARD FABRICS AND COLORS



VIDEO / WEBPAGE



ORDERING CODE SAMPLE

KOT - KKO1 - BK L color size



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

Clothing certified according to the international ESD o standards, as indicated by this/similar label



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Length	76	78	80	82	84	86	88	90	92

APR ESD APRON

FEATURES

- » Unisex, one size
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

APR - KK01 - BK color

VIDEO / WEBPAGE





Clothing certified according to the international ESD standards, as indicated by this/similar label

BB ESD BASEBALL STYLE CAP

FEATURES

- » Unisex, one size
- » Sun visor
- » ESD logo
- » Rubberized back

STANDARD FABRICS AND COLORS



ORDERING CODE SAMPLE

BB - KKO1 - DG style fabric color

can contact i

You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

TH65 FABRIC

W

Clothing certified according to the international ESD o standards, as indicated by this/similar label



DEMO VIDEO



BP ESD CAP WITH NET

FEATURES

- » Unisex, one size
- » Breathable net on the top of the cap

TH65 FABRIC

- » ESD logo
- » Plastic size adjuster on the back

STANDARD FABRICS AND COLORS



W



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

BP - KK01 - LPK color

DEMO VIDEO





Clothing certified according to the international ESD standards, as indicated by this/similar label





PF1 ESD PREMIUM SMOCK
2/3 LENGTH



PS2 ESD PREMIUM SMOCK
2/3 LENGTH



PS1 ESD PREMIUM SMOCK
2/3 LENGTH



PF3 ESD PREMIUM SMOCK
2/3 LENGTH



PF2 ESD PREMIUM SMOCK
2/3 LENGTH



PS3 ESD PREMIUM SMOCK
2/3 LENGTH

PF1 ESD PREMIUM SMOCK

2/3 LENGTH

DEMO VIDEO

DESIGNED BY Zséfia Gáspár

FEATURES

- » Standard sizes: Female XS 5XL
- » 2 side pockets
- » Hidden snap-fasteners
- » Cuff with snap-fasteners
- » ESD logo on the chest area

OPTIONAL





STANDARD FABRICS AND COLORS

TH55 FABRIC KK01 FABRIC









CHOOSE THE MOST MATCHING COLOUR **COMBINATION THAT SUITS YOUR COMPANY**



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

PF1 - KK01 - Y - DG L

style

color1 color2 size

Clothing certified according to the international ESD standards, as indicated by this/similar label



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%

DETAILS ON PAGE 113



44

PS1 ESD PREMIUM SMOCK

OPTIONAL



2/3 LENGTH

DEMO VIDEO

FEATURES 0

- » Standard sizes: Male XS 5XL
- » 2 side pockets, 1 hidden breast pocket
- » Hidden snap-fasteners
- » Cuff with snap-fasteners
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

TH55 FABRIC

RB LB GA W


KK01 FABRIC







CHOOSE THE MOST MATCHING COLOUR COMBINATION THAT SUITS YOUR COMPANY





ORDERING CODE SAMPLE

PS1 - KK01 - O - RB L

style

fabric

color1 color2 size

DETAILS ON PAGE 113

Size tolerance (before washing): 2%

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Certified according to:
IEC 61340-4-9:2024
ANSI/ESD STM2.1-2018

Clothing certified according to the international ESD standards, as indicated by this/similar label



DESIGNED BY Zsófia Gáspár

PF2 ESD PREMIUM SMOCK

2/3 LENGTH

DEMO VIDEO

FEATURES

- » Standard sizes: Female XS 5XL
- » 2 side pockets
- » Hidden snap-fasteners
- » Rubberized cuff
- » ESD logo on the chest area

OPTIONAL









KK01 FABRIC

TH55 FABRIC

















CHOOSE THE MOST MATCHING COLOUR **COMBINATION THAT SUITS YOUR COMPANY**



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

PF2 - KK01 - W - B

style

color1 color2 size

Clothing certified according to the international ESD standards, as indicated by this/similar label



						DLI	AILS \		OL III
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%

DETAILS ON PAGE 113

PS2 ESD PREMIUM SMOCK

OPTIONAL



FEATURES

- » Standard sizes: Male XS 5XL
- » 2 side pockets
- » Hidden snap-fasteners
- » Rubberized cuff
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

TH55 FABRIC


KK01 FABRIC











You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

PS2 - KK01 - W - DZ L

color1 color2 size

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Clothing certified according to the international ESD standards, as indicated by this/similar label



DESIGNED BY Andrea Vandornyik

PF3 ESD PREMIUM SMOCK

2/3 LENGTH

DEMO VIDEO

FEATURES

- » Standard sizes: Female XS 5XL
- » 2 side pockets
- » Hidden snap-fasteners
- » Cuff with snap-fasteners
- » ESD logo on the chest area

OPTIONAL

GROUNDING SMOCK - CODE: GND/GND









STANDARD FABRICS AND COLORS

KK01 FABRIC

TH55 FABRIC



















CHOOSE THE MOST MATCHING COLOUR COMBINATION THAT SUITS YOUR COMPANY





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

PF3 - KK01 - B - Y L

style

fabric

color1 color2 size

DETAILS ON PAGE 113

Clothing certified according to the international ESD o standards, as indicated by this/similar label



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Size tolerance (before washing): 2%



PS3 ESD PREMIUM SMOCK

OPTIONAL



2/3 LENGTH

FEATURES

- » Standard sizes: Male XS 5XL
- » 2 side pockets
- » Hidden snap-fasteners
- » Cuff with snap-fasteners
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

TH55 FABRIC

KK01 FABRIC









CHOOSE THE MOST MATCHING COLOUR COMBINATION THAT SUITS YOUR COMPANY







ORDERING CODE SAMPLE

PS3 - KK01 - NB - MG

color1

color2 size

DETAILS ON PAGE 113

Size tolerance (before washing): 2%

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Cuff	32	33	34	35	36	36	37	37	38
Sleeve	57	59	63	67	71	71	73	73	74
Length	89	91	93	95	99	101	103	105	107
Chest	90	98	106	114	122	130	136	142	148
Hip	90	98	106	114	122	130	136	142	148
Shoulder	36	39	42	45	48	51	54	57	60

Clothing certified according to the international ESD standards, as indicated by this/similar label









ING ESD MALE BUSINESS SHIRT









DEMO VIDEO



FEATURES

- » Standard sizes: Male XS 5XL
- » Business style
- » 1 breast pocket

- » ESD logo on sleeve
- » Buttons

STANDARD FABRICS AND COLORS

KK01 FABRIC

TH55 FABRIC

TH65 FABRIC

LG









CT35 FABRIC



W

ORDERING CODE SAMPLE

ING - KK01 - W L style

fabric

color size



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

Clothing certified according to the international ESD standards, as indicated by this/similar label



SIZE CHART (CM)	XS	s	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	56	58	60	62	64	66	68	70	70
Length	66	68	70	72	74	76	78	80	80
Chest	94	100	106	112	118	124	130	136	142
Shoulder	39	41	43	45	47	49	51	54	57
Cuff outline	23	24	25	26	27	28	29	30	31

Size tolerance (before washing): 2%

DETAILS ON PAGE 112

DEMO VIDEO

IFG ESD FEMALE BUSINESS SHIRT

FEATURES

- » Standard sizes: Female XS 5XL
- » ESD logo on sleeve
- » Buttons

STANDARD FABRICS AND COLORS

TH65 FABRIC

W

TH55 FABRIC

KK01 FABRIC

LG

CT35 FABRIC



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

IFG - KK01 - W

style

fabric

color size

DETAILS ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	56	58	60	62	64	66	68	70	70
Length	56	58	60	62	64	66	68	70	70
Chest	84	88	92	96	100	104	108	112	116
Shoulder	40	40	42	44	46	48	50	52	54
Cuff outline	21	22	23	24	25	26	27	28	29



Clothing certified according to the international ESD standards, as indicated by this/similar label



NT ESD MALE SUITE PANTS

FEATURES

- » Standard sizes: Male XS 5XL
- » Straight cut
- » 2 side pockets, 1 hip pocket
- » ESD logo on the waist

STANDARD FABRICS AND COLORS



DEMO VIDEO



ORDERING CODE SAMPLE

NT - KKO1 - BK L color size



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

Clothing certified according to the international ESD O standards, as indicated by this/similar label



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Waist	80	84	88	92	96	100	104	109	113
Hip	98	102	107	111	115	119	123	128	132
Length external	102	104	106	108	110	112	114	116	118

Size tolerance (before washing): 2%

DETAILS ON PAGE 113

NTF ESD FEMALE SUITE PANTS

FEATURES

- » Standard sizes: Female XS 5XL
- » Straight cut
- » 2 side pockets
- » ESD logo on the waist

STANDARD FABRICS AND COLORS

KK01 FABRIC

TH65 FABRIC

W

TH55 FABRIC

CT35 FABRIC

LG



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

NTF - KK01 - BK L fabric

style

color size

DEMO VIDEO



DETAILS ON PAGE 113

0

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Waist	68	72	76	80	84	88	92	97	101
Hip	98	102	107	111	115	119	123	128	132
Length external	102	104	106	108	110	112	114	116	118

Size tolerance (before washing): 2%



Clothing certified according to the international ESD standards, as indicated by this/similar label

SKI ESD SKIRT

FEATURES

- » Standard sizes: XS 5XL
- » Length: knee-high
- » Pencil style
- » With ESD logo

STANDARD FABRICS AND COLORS





VIDEO / WEBPAGE

ORDERING CODE SAMPLE

SKI - KK01 - BK L style fabric

color size

You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

Clothing certified according to the international ESD standards, as indicated by this/similar label



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL	
Waist	76	80	84	88	92	96	100	104	108	
Hip	98	102	106	110	114	118	122	126	130	
Length	59	61	63	65	67	69	71	71	71	

Size tolerance (before washing): 2%

DETAILS ON PAGE 113







TKO/F ESD T-SHIRT ROUND NECK, NO POCKET

TKZ/F ESD T-SHIRT ROUND NECK, BREAST POCKET

60

LKO/F ESD T-SHIRT ROUND NECK, NO POCKET



LKZ/F ESD T-SHIRT



ROUND NECK, BREAST POCKET

V-NECK, NO POCKET



TGZ/F ESD T-SHIRT V-NECK, BREAST POCKET

LGO/F ESD T-SHIRT V-NECK, NO POCKET



LGZ/F ESD T-SHIRT V-NECK, BREAST POCKET



PGO/F ESD POLO-SHIRT



PGZ/F ESD POLO-SHIRT

COLLAR, NO POCKET

COLLAR, BREAST POCKET



QGO/F ESD POLO-SHIRT

69

QGZ/F ESD POLO-SHIRT

70 **TLY ESD STRETCH T-SHIRT**

ROUND NECK, NO POCKET



RGA ESD SHORTS

COLLAR, NO POCKET

COLLAR, BREAST POCKET



SHORT SLEEVE, ROUND NECK, NO POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Round neck
- » Without any pocket
- » ESD logo on sleeve

STANDARD FABRICS AND COLORS

TS15 FABRIC

PS21 FABRIC

TS16 FABRIC

OTEX

STANDARD
100
BK NB RB DG GA W

BK NB RB PR

BK NB W

DG GA W



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

TKOF - TS15 - BK L color size

Clothing certified according to the international ESD o standards, as indicated by this/similar label

VIDEO / WEBPAGE



The sizes given here meant values before washing. **DETAILS AND FEMALE SIZE CHART ON PAGE 112**

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	20,5	21,5	22,5	23,5	25	26,5	28	29,5	31
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%

(1) We suggest to determine personal size with measurement on washed clothes.

TKZ/F ESD T-SHIRT

SHORT SLEEVE, ROUND NECK, BREAST POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Round neck
- » Breast pocket with ESD logo

STANDARD FABRICS AND COLORS

TS15 FABRIC

PS21 FABRIC

TS16 FABRIC

















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



ORDERING CODE SAMPLE

TKZF - TS15 - GA L

style


color size

VIDEO / WEBPAGE









DETAILS AND FEMALE SIZE CHART ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	20,5	21,5	22,5	23,5	25	26,5	28	29,5	31
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60



Clothing certified according to the international ESD standards, as indicated by this/similar label



We suggest to determine personal size with measurement on washed clothes.

61



LKO/F ESD T-SHIRT

LONG SLEEVE, ROUND NECK, NO POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Round neck
- » Without any pocket
- » ESD logo on sleeve

STANDARD FABRICS AND COLORS



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

LKOF - TS15 - BK L style female fabric color size

Clothing certified according to the international ESD O standards, as indicated by this/similar label

VIDEO / WEBPAGE



The sizes given here meant values before washing.

DETAILS AND FEMALE SIZE CHART ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	51,5	53	57	61	63	65	67	67	68
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%

LKZ/F ESD T-SHIRT

LONG SLEEVE, ROUND NECK, BREAST POCKET

FEATURES

VIDEO / WEBPAGE

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Round neck
- » Breast pocket with ESD logo

STANDARD FABRICS AND COLORS

TS15 FABRIC

PS21 FABRIC

TS16 FABRIC















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



ORDERING CODE SAMPLE

LKZF - TS15 - GA L

style

color size

The sizes given here meant values before washing.

DETAILS AND FEMALE SIZE CHART ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	51,5	53	57	61	63	65	67	67	68
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60



Clothing certified according to the international ESD standards, as indicated by this/similar label



We suggest to determine personal size with measurement on washed clothes.

63



SHORT SLEEVE, V-NECK, NO POCKET

o FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » V-neck
- » Without any pocket
- » ESD logo on sleeve

STANDARD FABRICS AND COLORS

TS15 FABRIC

OFFO STANDARD BK NB RB DG GA W

BK NB RB PR

BK NB W

DG GA W



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

TGOF - TS15 - GR L
style female fabric color size

Clothing certified according to the international ESD ostandards, as indicated by this/similar label

VIDEO / WEBPAGE



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	20,5	21,5	22,5	23,5	25	26,5	28	29,5	31
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%

The sizes given here meant values before washing. **DETAILS AND FEMALE SIZE CHART ON PAGE 112**

TGZ/F ESD T-SHIRT

SHORT SLEEVE, V-NECK, BREAST POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » V-neck
- » Breast pocket with ESD logo

STANDARD FABRICS AND COLORS

TS15 FABRIC

PS21 FABRIC

TS16 FABRIC











You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



65

The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

TGZF - TS15 - NB L

style

female

abric

color size


The sizes given here meant values before washing.

DETAILS AND FEMALE SIZE CHART ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	20,5	21,5	22,5	23,5	25	26,5	28	29,5	31
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60



Clothing certified according to the international ESD standards, as indicated by this/similar label



We suggest to determine personal size with measurement on washed clothes.







LONG SLEEVE, V-NECK, NO POCKET

o FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » V-neck
- » Without any pocket
- » ESD logo on sleeve

STANDARD FABRICS AND COLORS

TS15 FABRIC

PS21 FABRIC

TS16 FABRIC

O

NB PB DG GA W

BK NB PB

BK NB W









The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

LGOF - TS15 - GR L
style female fabric color size

Clothing certified according to the international ESD ostandards, as indicated by this/similar label

VIDEO / WEBPAGE



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	51,5	53	57	61	63	65	67	67	68
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%

The sizes given here meant values before washing. **DETAILS AND FEMALE SIZE CHART ON PAGE 112**

LGZ/F ESD T-SHIRT

LONG SLEEVE, V-NECK, BREAST POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » V-neck
- » Breast pocket with ESD logo

STANDARD FABRICS AND COLORS

TS15 FABRIC

PS21 FABRIC

TS16 FABRIC











You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



ORDERING CODE SAMPLE

LGZF - TS15 - NB L

style

female

color size


The sizes given here meant values before washing.

DETAILS AND FEMALE SIZE CHART ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	51,5	53	57	61	63	65	67	67	68
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60



Clothing certified according to the international ESD standards, as indicated by this/similar label









SHORT SLEEVE, COLLAR, NO POCKET

FEATURES

- OPTIONAL
- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL Collar from its own fabric
- » Female model: Slim style
- » Without any pocket
- » ESD logo on sleeve
- » Hidden snap-fasteners

STANDARD FABRICS AND COLORS

TS15 FABRIC

PS21 FABRIC

TS16 FABRIC

STANDARD 100 BK NB RB DG GA





CODE: SAA









You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

<u>PGOF - PS21 - NB L</u>

style

68

female

fabric

color size

The sizes given here meant values before washing. **DETAILS AND FEMALE SIZE CHART ON PAGE 112**

Clothing certified according to the international ESD o standards, as indicated by this/similar label

VIDEO / WEBPAGE



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	20,5	21,5	22,5	23,5	25	26,5	28	29,5	31
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%

(1) We suggest to determine personal size with measurement on washed clothes.

PGZ/F ESD POLO-SHIRT

SHORT SLEEVE, COLLAR, BREAST POCKET

OPTIONAL

Collar from its own fabricCODE: SAA

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Breast pocket with ESD logo
- » Hidden snap-fasteners

STANDARD FABRICS AND COLORS

TS15 FABRIC

PS21 FABRIC

TS16 FABRIC













You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



ORDERING CODE SAMPLE

PGZF - PS21 - RB L color size









SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	20,5	21,5	22,5	23,5	25	26,5	28	29,5	31
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Certified according for IEC 61340-4-9:2024 ANSI/ESD STM2.1-2018

Clothing certified according to the international ESD standards, as indicated by this/similar label



We suggest to determine personal size with measurement on washed clothes.



LONG SLEEVE, COLLAR, NO POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Without any pocket
- » ESD logo on sleeve
- » Hidden snap-fasteners

OPTIONAL

• Collar from its own fabric

CODE: SAA

STANDARD FABRICS AND COLORS

TS15 FABRIC

PS21 FABRIC

TS16 FABRIC













You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

<u>QGOF - PS21 - NB L</u>

style

female

e fabr

color size

Clothing certified according to the international ESD o standards, as indicated by this/similar label

VIDEO / WEBPAGE



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	51,5	53	57	61	63	65	67	67	68
Length	63	66	69	72	75	78	81	84	87
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%

(1) We suggest to determine personal size with measurement on washed clothes.

The sizes given here meant values before washing. **DETAILS AND FEMALE SIZE CHART ON PAGE 112**

QGZ/F ESD POLO-SHIRT

LONG SLEEVE, COLLAR, BREAST POCKET

OPTIONAL

Collar from its own fabricCODE: SAA

FEATURES

VIDEO / WEBPAGE

- » Standard sizes: Unisex XS 5XL, female (F) XS 5XL
- » Female model: Slim style
- » Breast pocket with ESD logo
- » Hidden snap-fasteners

STANDARD FABRICS AND COLORS

TS15 FABRIC

PS21 FABRIC

TS16 FABRIC











You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



ORDERING CODE SAMPLE

QGZF - PS21 - RB L

style

emale

col

color size


The sizes given here meant values before washing. **DETAILS AND FEMALE SIZE CHART ON PAGE 112**

XS XXL 3XL 4XL 5XL SIZE CHART (CM) XL 61 Sleeve 51,5 53 57 63 65 67 67 68 66 69 72 75 78 84 87 Length 63 100 106 112 118 124 Chest 130 136 142 148 45 43 47 54 57 Shoulder 49 51 60

Certified according to:

IEC 61340-4-9:2024
ANSI/ESD STM2.1-2018

Clothing certified according to the international ESD standards, as indicated by this/similar label



We suggest to determine personal size with measurement on washed clothes.





SHORT SLEEVE, ROUND NECK, NO POCKET

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Slim style, stretch material
- » Round neck
- » Short sleeve

- » Without any pocket
- » ESD logo on sleeve
- » Comfortable, breathable

STANDARD FABRICS AND COLORS

LY20 FABRIC





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

TLY - LY20 - BK L

style

fabric

The sizes given here meant values before washing.

DETAILS AND FEMALE SIZE CHART ON PAGE 112

Clothing certified according to the international ESD standards, as indicated by this/similar label

DEMO VIDEO



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	19,5	20,5	21,5	22,5	23,5	25	26,5	28	29,5
Length	56	59	62	65	68	71	74	77	80
Chest	94	100	106	112	118	124	130	136	142
Shoulder	39	41	43	45	47	49	51	54	57

Size tolerance (before washing): 2%

RGA ESD SHORTS

FEATURES

- » Standard sizes: Male XS 5XL
- » Straight style
- » 2 side pockets, 1 hip pocket with ESD logo
- » 1 side pocket on the leg
- » 1 tool pocket on the leg
- » Rubberized waist with snap-fastener

STANDARD FABRICS AND COLORS

TH65 FABRIC

W

TH55 FABRIC



BK DZ DG GA LG

KK01 FABRIC

CT35 FABRIC



NB RB LB MG L

B R O Y L

W



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

RGA - TH55 - RB L

style

fabric

color size

DEMO VIDEO



DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Length external	49	51	53	55	57	59	61	63	65
Hip	98	102	107	111	115	119	123	128	132

Certified according for IEC 61340-4-9:2024 ANSI/ESD STM2.1-2018

Clothing certified according to the international ESD standards, as indicated by this/similar label

















SHORT ZIPPER

DEMO VIDEO

FEATURES

- » Standard sizes: Unisex XS 5XL
- » With short zipper
- » 2 side pockets

- » ESD logo on the chest area
- » ESD cuff
- » Comfortable, breathable

STANDARD FABRICS AND COLORS

THSS FABRIC



















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

CAS - THSS - RB L

style

fabric

color size

The sizes given here meant values before washing.

DETAILS ON PAGE 113

Clothing certified according to the international ESD O standards, as indicated by this/similar label



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL		
Chest	108	112	116	120	124	130	136	142	148		
Length	64	66	68	70	72	74	76	78	80		
Sleeve	72	74	76	78	80	82	84	84	85		

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.

CAL ESD CARDIGAN

LONG ZIPPER

FEATURES

- » Standard sizes: Unisex XS 5XL
- » With full length zipper
- » 2 side pockets

- » ESD logo on the chest area
- » ESD cuff
- » Comfortable, breathable

STANDARD FABRICS AND COLORS

THSS FABRIC

THSB FABRIC















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



ORDERING CODE SAMPLE

CAL - THSS - NB L

style

color size

DEMO VIDEO

The sizes given here meant values before washing.

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	108	112	116	120	124	130	136	142	148
Length	64	66	68	70	72	74	76	78	80
Sleeve	72	74	76	78	80	82	84	84	85

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.



Clothing certified according to the international ESD standards, as indicated by this/similar label





LONG ZIPPER, STANDING COLLAR

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Standing collar
- » With full length zipper
- » 2 side pockets

- » ESD logo on the chest area
- » ESD cuff
- » Comfortable, breathable

STANDARD FABRICS AND COLORS

THSS FABRIC



















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

CAL-H - THSS - GA L

color size

Clothing certified according to the international ESD standards, as indicated by

this/similar label

VIDEO / WEBPAGE

DETAILS ON PAGE 113												
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL			
Chest	108	112	116	120	124	130	136	142	148			
Length	64	66	68	70	72	74	76	78	80			

Size tolerance (before washing): 2%

The sizes given here meant values before washing.

We suggest to determine personal size with measurement on washed clothes.

SWS ESD SWEATSHIRT

ROUND NECK

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Round neck
- » ESD logo on the chest area
- » ESD cuff

STANDARD FABRICS AND COLORS

THSS FABRIC

















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



ORDERING CODE SAMPLE

SWS - THSS - NB L

color size

The sizes given here meant values before washing.

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	108	112	116	120	124	130	136	142	148
Length	64	66	68	70	72	74	76	78	80
Sleeve	72	74	76	78	80	82	84	84	85

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.



Clothing certified according to the international ESD standards, as indicated by this/similar label





V-NECK

DEMO VIDEO

FEATURES

- » Standard sizes: Unisex XS 5XL
- » V-neck
- » ESD logo on the chest area
- » ESD cuff

STANDARD FABRICS AND COLORS

THSS FABRIC



















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

SGS - THSS - NB L

color size

The sizes given here meant values before washing.

DETAILS ON PAGE 113

Clothing certified according to the international ESD standards, as indicated by this/similar label



DETAILS ON TASE NO										
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL	
Chest	108	112	116	120	124	130	136	142	148	
Length	64	66	68	70	72	74	76	78	80	
Sleeve	72	74	76	78	80	82	84	84	85	

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.

SKS ESD HOODED SWEATSHIRT

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Hood with drawstring
- » With ESD logo on sleeve
- » ESD cuff
- » Kangaroo pocket

STANDARD FABRICS AND COLORS

THSS FABRIC

















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



ORDERING CODE SAMPLE

SKS - THSS - BK L

stvle

abric

color size

The sizes given here meant values before washing.

DETAILS ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Sleeve	52	53	57	61	63	65	67	67	68
Length	64	66	68	70	72	74	76	76	76
Chest	100	106	112	118	124	130	136	142	148
Shoulder	41	43	45	47	49	51	54	57	60

Certified according to:
IEC 61340-4-9:2024
ANSI/ESD STM2.1-2018

Clothing certified according to the international ESD standards, as indicated by this/similar label



We suggest to determine personal size with measurement on washed clothes.



81





ROUND NECK

DEMO VIDEO

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Round neck
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

THSS FABRIC

THSB FABRIC



















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

SGW - THSS - BK L

style

fabric

color size

Clothing certified according to the international ESD standards, as indicated by this/similar label



DETAILS ON FAGE III										
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL	
Chest	100	106	112	118	124	130	136	142	148	
Length	63	66	69	72	75	78	81	84	87	
Shoulder	41	43	45	47	49	51	54	57	60	

Size tolerance (before washing): 2%

DETAILS ON PAGE 113

The sizes given here meant values before washing.

We suggest to determine personal size with measurement on washed clothes.

SWW ESD VEST

V-NECK

FEATURES

- » Standard sizes: Unisex XS 5XL
- » V-neck
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

THSS FABRIC

THSB FABRIC















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).



ORDERING CODE SAMPLE

SWW - THSS - NB L

color size

The sizes given here meant values before washing.

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	100	106	112	118	124	130	136	142	148
Length	63	66	69	72	75	78	81	84	87
Shoulder	41	43	45	47	49	51	54	57	60

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.



Clothing certified according to the international ESD standards, as indicated by this/similar label



SWW-Z ESD VEST

V-NECK, ZIPPER

FEATURES

- » Standard sizes: Unisex XS 5XL
- » V-neck
- » With full length zipper
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

THSS FABRIC

THSB FABRIC

















You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



The sizechart below shows the dimensions before washing.

After washing, it should be calculated with a shrinkage of 8-10% for width (mainly for breast size).

ORDERING CODE SAMPLE

SWW-Z - THSS - GA L

VIDEO / WEBPAGE



The sizes given here meant values before washing.

DETAILS ON PAGE 113

Clothing certified according to the international ESD standards, as indicated by this/similar label



DETAILS ON FACE III											
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL		
Chest	100	106	112	118	124	130	136	142	148		
Length	63	66	69	72	75	78	81	84	87		
Shoulder	41	43	45	47	49	51	54	57	60		

Size tolerance (before washing): 2%

We suggest to determine personal size with measurement on washed clothes.

VES-S ESD QUILTED VEST

V-NECK

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Quilted lining
- » Hidden snap-fasteners
- » ESD logo on the chest area
- » 2 side pockets
- » Not waterproof

STANDARD FABRICS AND COLORS

CT35 FABRIC

W

You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

VES-S - CT35 - W L

style

fabric

color size







SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	102	110	118	126	132	138	144	150	154
Length	64	66	68	70	72	74	76	78	80

Certified according to:
IEC 61340-4-9:2024
ANSI/ESD STM2.1-2018

Clothing certified according to the international ESD standards, as indicated by this/similar label



DEMO VIDEO

VES-H ESD QUILTED VEST

ZIPPER, STANDING COLLAR

O FEATURES

- » Standard sizes: Unisex XS 5XL
- » Quilted lining
- » ESD logo on the chest area
- » 2 side pockets
- » Not waterproof

STANDARD FABRICS AND COLORS

CT35 FABRIC

W



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

VES-H - CT35 - W L

style

abric

color size

Clothing certified according to the international ESD ostandards, as indicated by this/similar label



DETAILS SITT AGE T									OL 110	
	SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
	Chest	102	110	118	126	132	138	144	150	154
	Length	64	66	68	70	72	74	76	78	80

Size tolerance (before washing): 2%

DETAILS ON PAGE 113

VES-T ESD VEST

QUILTED LINING

FEATURES

- » Standard sizes: Unisex XS 5XL
- » White, quilted lining
- » Zipper
- » ESD logo on the chest area
- » 2 side pockets
- » Not waterproof, for indoor use

STANDARD FABRICS AND COLORS



NB RB LB MG LE CR10 FABRIC CT35 FABRIC WC10 FABRIC

B R O Y LPK

You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

VES-T - KK01 - B L color size

VIDEO / WEBPAGE



DETAILS ON PAGE 113

W

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	90	98	106	114	122	130	136	142	148
Length at the back	70	71	72	73	74	75	76	77	78

Size tolerance (before washing): 2%



Clothing certified according to the international ESD standards, as indicated by this/similar label



LONG ZIPPER AND COLORED INSERTS

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Coloured inserts: CR10HI-O or Y
- » Zipper
- » Standing collar

- » ESD logo on sleeve
- » 2 side pockets, 1 breast pocket for identity card
- » Not waterproof, for indoor use

STANDARD FABRICS AND COLORS

FL1 FABRIC



FOR COLORED INSERTS

CR10HI FABRIC





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

FCU - FL1 - BK / Y style fabric

color

VIDEO / WEBPAGE



Clothing certified according to the international ESD standards, as indicated by this/similar label



DETAILS ON PAGE I											
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL		
Chest	102	106	110	114	118	122	126	130	134		
Length	65	68	71	74	77	80	83	86	89		
Sleeve	55	57	59	61	63	65	67	67	68		
Shoulder	42	43	44	45	46	47	48	49	49		

Size tolerance (before washing): 2%

DETAILS ON PAGE 112

FCF ESD FEMALE FLEECE CARDIGAN

LONG ZIPPER AND COLORED INSERTS

FEATURES

- » Standard sizes: Female XS 5XL
- Coloured inserts: CR10HI-O or Y
- Zipper
- » Standing collar

- » ESD logo on sleeve
- » 2 side pockets, 1 breast pocket for identity card
- » Not waterproof, for indoor use

STANDARD FABRICS AND COLORS

FOR COLORED INSERTS

FL1 FABRIC





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

FCF - FL1 - NB /

VIDEO / WEBPAGE



DETAILS ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	102	106	110	114	118	122	126	130	134
Length	62	65	68	71	74	77	80	83	83
Sleeve	55	57	59	61	63	65	67	67	68
Shoulder	42	43	44	45	46	47	48	49	49



Clothing certified according to the international ESD standards, as indicated by this/similar label



LONG ZIPPER AND INSIDE COLORED COLLAR

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Coloured inserts
- » Zipper
- » Standing collar

- » ESD logo on sleeve
- » 2 side pockets
- » Not waterproof, for indoor use

STANDARD FABRICS AND COLORS

FL1 FABRIC



FOR COLORED INSERTS

FL1 FABRIC





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

color

ORDERING CODE SAMPLE

FBU -

FL1 -

fabric

/ Y

_

colored SIZE

VIDEO / WEBPAGE



Clothing certified according to the international ESD standards, as indicated by this/similar label



DETAILS ON PAGE I											
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL		
Chest	102	106	110	114	118	122	126	130	134		
Length	65	68	71	74	77	80	83	86	89		
Sleeve	55	57	59	61	63	65	67	67	68		
Shoulder	42	43	44	45	46	47	48	49	49		

Size tolerance (before washing): 2%

DETAILS ON PAGE 112

FBF ESD FEMALE FLEECE CARDIGAN

LONG ZIPPER AND INSIDE COLORED COLLAR

FEATURES

- » Standard sizes: Female XS 5XL
- » Coloured inserts
- » Zipper
- » Standing collar

- » ESD logo on sleeve
- » 2 side pockets
- » Not waterproof, for indoor use

STANDARD FABRICS AND COLORS

FOR COLORED INSERTS





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

FBF - FL1 - NB / O L style fabric color colored size

VIDEO / WEBPAGE



DETAILS ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	102	106	110	114	118	122	126	130	134
Length	62	65	68	71	74	77	80	83	83
Sleeve	55	57	59	61	63	65	67	67	68
Shoulder	42	43	44	45	46	47	48	49	49

Certified according to:
IEC 61340-4-9:2024
ANSI/ESO STM2.1-2018

Clothing certified according to the international ESD standards, as indicated by this/similar label



LONG ZIPPER

VIDEO / WEBPAGE

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Standing collar
- » ESD logo on sleeve
- » 2 side pockets, 1 breast pocket for identity card
- » Not waterproof, for indoor use

STANDARD FABRICS AND COLORS

FL1 FABRIC













You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

FSU - FL1 - DG L

style

fabric

color size

Clothing certified according to the international ESD standards, as indicated by this/similar label



DETAILS ON PAGE 1													
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL				
Chest	102	106	110	114	118	122	126	130	134				
Length	65	68	71	74	77	80	83	86	89				
Sleeve	55	57	59	61	63	65	67	67	68				
Shoulder	42	43	44	45	46	47	48	49	49				

FFF ESD FEMALE FLEECE CARDIGAN

LONG ZIPPER

FEATURES

- » Standard sizes: Female XS 5XL
- » Standing collar
- » ESD logo on sleeve

- » 2 side pockets, 1 breast pocket for identity card
- » Not waterproof, for indoor use

STANDARD FABRICS AND COLORS

FL1 FABRIC









You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

FFF - FL1 - O

style

abrid

color size

VIDEO / WEBPAGE



DETAILS ON PAGE 112

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	102	106	110	114	118	122	126	130	134
Length	62	65	68	71	74	77	80	83	83
Sleeve	55	57	59	61	63	65	67	67	68
Shoulder	42	43	44	45	46	47	48	49	49

Certified according to: IEC 61340-4-9:2024 ANSI/ESD STM2.1-2018

Clothing certified according to the international ESD standards, as indicated by this/similar label



STANDING COLLAR

DEMO VIDEO

o FEATURES

- » Standard sizes: Unisex XS 5XL
- » Fleece lining
- » Water-repellent outer layer
- » ESD logo on the chest area
- » 2 side pockets
- » Hidden zipper

O STANDARD FABRICS AND COLORS

WC10 FABRIC





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

<u>WJ - WC10 - NB L</u>

style

abric

color size

DETAILS ON PAGE 112

Clothing certified according to the international ESD ostandards, as indicated by this/similar label



SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL			
Chest	124	128	132	136	140	144	148	152	156			
Sleeve	62	63	64	65	68	68	69	69	70			
Length	78	79	80	81	82	83	84	85	86			

WW ESD WINTER VEST

STANDING COLLAR

DEMO VIDEO

FEATURES

- » Standard sizes: Unisex XS 5XL
- » Fleece lining
- » Water-repellent outer layer
- » ESD logo on the chest area
- » 2 side pockets
- » Hidden zipper

STANDARD FABRICS AND COLORS

WC10 FABRIC



You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



ORDERING CODE SAMPLE

WW - WC10 - NB L

color size

DETAILS ON PAGE 113

SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	130	132	136	140	144	150	154	158	162
Length	70	71	72	73	74	75	76	77	78

Size tolerance (before washing): 2%



Clothing certified according to the international ESD standards, as indicated by this/similar label





FEATURES

- » Standard sizes: Unisex XS 5XL
- » Fleece lining
- » Water-repellent outer layer
- » 2 side pockets, 1 front pocket with ESD logo
- » 2 side pockets on legs
- » 2 quick release buckles

O STANDARD FABRICS AND COLORS

WC10 FABRIC





You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

<u>WN - WC10 - NB L</u>

yle

fabric

color size

Clothing certified according to the international ESD o standards, as indicated by this/similar label

DEMO VIDEO



DETAILS ON PAGE 113													
SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL				
Length external	104	106	108	110	112	114	116	118	119				
Hip	102	107	111	115	119	123	128	132	136				
Bridle length	62	63	64	64	66	66	68	68	70				



WH ESD WINTER HAT

FEATURES

- » Standard sizes: Unisex, one size
- » With ESD logo
- » Comfortable
- » Warm and breathable

STANDARD FABRICS AND COLORS

PS21 FABRIC

























You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.

ORDERING CODE SAMPLE

WH - PS21 - NB

style

fabric

color

DEMO VIDEO



Clothing certified according to the international ESD standards, as indicated by this/similar label



WS ESD SCARF

FEATURES

- » Standard sizes: Unisex, one size
- » With ESD logo
- » Comfortable
- » Warm and breathable

STANDARD FABRICS AND COLORS

FL1 FABRIC









You can contact us too for customized embroidered or screen printed company logos, lettering, custom designed ESD clothing.



DEMO VIDEO



ORDERING CODE SAMPLE

WS - PS21 - NB style fabric color



Clothing certified according to the international ESD standards, as indicated by this/similar label

UTB ESD UTILITY BAG



DIMENSIONS

» 220 x 100 x 100 mm



0

DIMENSIONS

- » 120 mm diameter
- » 290 mm length

CONTACT US IF YOU HAVE DEMAND FOR CUSTOMIZED ESD CLOTHING, ESD CLOTHING PRODUCT.





DIMENSIONS

- » Width: 240 mm
- » Height: 160 mm
- » Depth: 25 mm
- » Upper zipper length: 180 mm» Lower zipper length: 160 mm



KV1 ESD ARM COVER

INDICATIVE DIMENSIONS

- » XS 270 mm diameter, 450 mm length
- » S 400 mm diameter, 600 mm length
- » M 500 mm diameter, 600 mm length
 - L 600 mm diameter, 700 mm length



0

NH ESD WASHABLE HAIR NET

BPK CAP WITH BUN HOLDER

CONTACT US IF YOU HAVE DEMAND FOR CUSTOMIZED ESD CLOTHING, ESD CLOTHING PRODUCT.



COVER ESD COVER



0

CURT ESD CURTAIN





COV CLEANROOM COVERALL



COVH CLEANROOM COVERALL

WITH HOOD



COA CLEANROOM COAT



JAC CLEANROOM JACKET TRU CLEANROOM TROUSERS



FCH CLEANROOM FULL COVER HOOD



FMS CLEANROOM FACE MASK



STG CLEANROOM SHOES
WITH TEXTILE GAITER



FEATURES

- » Standard sizes: 3XS 4XL
- » Double covered front zipper
- » Adjustable waistband inside
- » Standing collar with snaps
- » Raglan sleeve
- » Conductive elasticated cuffs at the wrist and ankle ends
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

CR10 FABRIC







Individual custom made ESD clothing is also available

ORDERING CODE SAMPLE

COV - CR10 - LB L

5

abric

color size

OPTIONAL


Chest, hip or bottom pockets

Card holder, pen holder

Company logo

Clothing certified according to the international ESD ostandards, as indicated by this/similar label

VIDEO / WEBPAGE



Size tolerance (before washing): 3%; shrinkage after cleaning: 3-5%

EC 61340-4-9:2024

COVH CLEANROOM COVERALL

OPTIONAL

0

- Chest, hip or bottom pockets
- Card holder, pen holder
- Company logo

- » Standard sizes: 3XS 4XL
- » Double covered front zipper
- » Adjustable waistband inside
- » Snaps at neck
- » Raglan sleeve
- » Conductive elasticated cuffs at the wrist and ankle ends

WITH INTEGRATED HOOD

FEATURES O

- » Open face area
- » Adjustable by snaps at the back of hood
- » Snap-fasteners for face mask
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

CR10 FABRIC



Individual custom made ESD clothing is also available



ORDERING CODE SAMPLE

COVH - CR10 - W L style color size

DETAILS ON PAGE 114

SIZE CHART (CM)	3XS	XXS	XS	S	М	L	XL	XXL	3XL	4XL
Chest circumference	113,5	119,0	125,5	131,5	135,5	143,0	151,5	155,0	160,0	166,0
Waist circumference	90,0	93,5	99,0	103,5	109,0	116,5	124,5	133,0	140,0	150,0
Hip circumference	106,0	111,0	114,0	119,0	122,0	128,0	136,0	150,0	155,0	162,0
Back length to the hip	49,0	52,0	53,0	53,5	56,0	58,0	60,0	62,5	68,0	71,0
Side length	99,5	103,0	105,5	107,0	112,0	119,0	124,0	127,0	135,5	143,0
Inseam length	70,5	73,5	75,0	77,0	79,0	86,0	91,0	94,5	100,0	103,0
Thigh circumference	59,0	61,0	63,0	66,0	70,0	72,0	76,0	79,0	82,0	86,0
Forehead circumference	60,0	60,0	60,0	61,0	63,0	65,0	68,0	71,0	74,0	77,0
Face opening circumference	76,0	77,0	78,0	80,0	82,0	84,0	86,0	88,0	90,0	92,0

Clothing certified according to the international ESD standards, as indicated by this/similar label





Size tolerance (Before washing): 3%; shrinkage by decontamination: 3-5%



FEATURES

- » Standard sizes: 3XS-4XL
- » Double covered front zipper
- » Standing collar with snaps
- » Raglan sleeve
- » Conductive elasticated cuffs at the wrist ends
- » Extra long coat
- » ESD logo on the chest area

STANDARD FABRICS AND COLORS

CR10 FABRIC







Individual custom made ESD clothing is also available

ORDERING CODE SAMPLE

COA - CR10 - LB L

style

fabric

color size

OPTIONAL

Chest, hip or bottom pockets

Adjustable waistband inside

Card holder, pen holder

Company logo

Clothing certified according to the international ESD O standards, as indicated by this/similar label

VIDEO / WEBPAGE



	DETAILS ON PAGE											
SIZE CHART (CM)	3XS	XXS	XS	S	М	L	XL	XXL	3XL	4XL		
Chest circumference	113,5	119,0	125,5	131,5	135,5	143,0	151,5	155,0	160,0	166,0		
Waist circumference	105,5	109,0	115,0	117,0	126,0	131,5	138,0	143,5	150,0	160,0		
Hip circumference	113,0	117,0	121,0	123,5	131,0	140,5	145,5	150,0	155,0	162,0		
Back length	109,0	111,0	113,0	114,5	119,0	124,0	125,5	125,5	125,5	125,5		
Neck circumference	39,0	40,5	41,5	43,0	44,0	45,5	51,0	52,0	54,0	55,0		
Upper arm circumference	41,0	44,0	46,5	49,0	50,5	53,0	56,0	57,0	58,5	61,5		
Sleeve length from the neck area	73,0	75,0	77,0	80,0	82,5	83,5	86,0	87,5	88,0	90,5		

Size tolerance (Before washing): 3%; shrinkage by decontamination: 3-5%

JAC CLEANROOM JACKET AND TRU CLEANROOM TROUSERS

O JACKET FEATURES

- » Standard sizes: 3XS-4XL
- » Front zipper
- » Standing collar with snaps
- » Raglan sleeve
- » Conductive elasticated cuffs at the wrist ends
- » ESD logo on the chest area

OPTIONAL

- Chest, hip or bottom pockets
- Card holder, pen holder
- Company logo

ORDERING CODE SAMPLE

JAC - CR10 - W

fabric

color size

TROUSERS FEATURES

- » Standard sizes: 3XS-4XL
- » Adjustable waistband
- » Conductive elasticated cuffs at the ankle ends
- » With ESD logo

OPTIONAL

- Pockets
- Company logo

ORDERING CODE SAMPLE

TRU - CR10 - W style fabric color size

STANDARD FABRICS AND COLORS

CR10 FABRIC






DETAILS ON PAGE 115 Size charts (cm)

JAC CLEANROOM JACKET	3XS	XXS	XS	S	М	L	XL	XXL	3XL	4XL
Chest circumference	106,0	109,0	112,0	116,0	124,0	131,0	136,0	141,0	146,0	154,0
Waist circumference	99,0	102,0	105,0	109,0	117,0	124,0	129,0	134,0	139,0	147,0
Hip circumference	115,0	118,0	121,0	125,0	133,0	140,0	145,0	150,0	155,0	163,0
Back length	73,5	75,5	78,5	81,5	85,5	88,0	90,0	92,5	94,0	94,0
Neck circumference	45,0	46,5	47,5	48,0	50,0	55,0	57,0	59,0	59,0	59,0
TRU CLEANROOM TROUSERS	27/6	V/V/C	V/C	_			VI	VVI	0)//	4371
TRU CLEANROOM TROUSERS	3XS	XXS	XS	S	М	L	XL	XXL	3XL	4XL
Waist circumference (Contracted)	75,0	78,0	80,0	83,0	87,0	90,0	99,0	103,0	107,0	114,0
Waist circumference (Contracted)	75,0	78,0	80,0	83,0	87,0	90,0	99,0	103,0	107,0	114,0
Waist circumference (Contracted) Waist circumference (Expanded)	75,0 98,0	78,0 102,0	80,0 104,0	83,0 108,0	87,0 113,0	90,0	99,0 128,0	103,0	107,0 138,0	114,0 146,0
Waist circumference (Contracted) Waist circumference (Expanded) Crotch circumference	75,0 98,0 108,0	78,0 102,0 111,0	80,0 104,0 114,0	83,0 108,0 118,0	87,0 113,0 120,0	90,0 116,0 123,0	99,0 128,0 133,0	103,0 133,0 138,0	107,0 138,0 143,0	114,0 146,0 149,0

Size tolerance (Before washing): 3%; shrinkage by decontamination: 3-5%









Individual custom made ESD clothing is also available

FCH CLEANROOM FULL COVER HOOD

FEATURES

- » Standard sizes: XXS-XXL
- » Front zipper
- » Flat top
- » Adjustable by snaps behind
- » Open face
- » Snap-fasteners for face mask
- » With ESD logo

STANDARD FABRICS AND COLORS

CR10 FABRIC





Individual custom made ESD clothing is also available

ORDERING CODE SAMPLE

FCH - CR10 - LB L color size

OPTIONAL

Company logo

VIDEO / WEBPAGE



Clothing certified according to the international ESD o standards, as indicated by this/similar label



DET	ΓAIL	.S	ON	PΑ	GE	115

SIZE CHART (CM)	XXS	XS	S	М	L	XL	XXL
E	23,5	24,5	26,0	26,0	28,5	28,5	28,5
н	13,0	14,0	15,0	16,0	17,0	17,0	17,0
A1	52,0	55,0	58,0	61,0	63,5	66,0	69,0
G	6,0	6,0	6,0	6,0	6,5	6,5	6,5
S	21,0	21,0	21,0	21,0	21,0	21,0	21,0

Size tolerance (Before washing): 3%; shrinkage by decontamination: 3-5%

FMS CLEANROOM FACE MASK




- » One size
- » With snaps that can be attached to a hood
- » For COVH or FCH products, not usable on its own.

STANDARD FABRICS AND COLORS

CR10 FABRIC







ORDERING CODE SAMPLE

FMS - CR10 - W









VIDEO / WEBPAGE

DETAILS ON PAGE 115

0

SIZE CHART (CM)	Size
Α	25,0
В	6,0
С	31,0
D	30,0



- » Front zipper
- » Comfortable shoes
- » Conductive soles
- » Adjustable ribbon with velcro
- » With ESD logo

O STANDARD FABRICS AND COLORS

CR10 FABRIC





Individual custom made ESD clothing is also available

ORDERING CODE SAMPLE

STG - CR10 - W 41 style fabric color size


VIDEO / WEBPAGE



STANDARD SIZES

37,5 38,5


44,5 45,5 46,5



PGO/F PGZ/F TGO/F TGZ/F
TKO/F TKZ/F TLY

O DESCRIPTION

- 1. Sleeve
- 2. Chest
- 3. Length
- 4. Shoulder



SIZE CHART FOR FEMALE SHORT SLEEVE T-SHIRTS AND POLO-SHIRTS

PGOF PGZF TGOF TGZF TKOF TKZF


	SIZE CHART (CM)	XS	S	М	L	XL	XXL	3XL	4XL	5XL
	Sleeve	20,5	21,5	22,5	23,5	25	26,5	28	29,5	31
	Length	63	66	69	72	75	78	81	84	87
	Chest	82	86	91	96	102	110	114	118	122
1	Waist	66	70	75	80	86	94	98	104	108
	Hip	90	94	99	105	111	117	123	129	135
	Shoulder	39	40	41	42	43	44	45	46	47

Size tolerance (before washing): 2%

ING IFG LGO/F LGZ/F LKO/F LKZ/F QGO/F QGZ/F SKS WJ FCU FCF FBU FBF FSU FFF

DESCRIPTION

- 1. Sleeve
- 2. Chest
- 3. Length
- 4. Shoulder
- 5. Cuff



SIZE CHART FOR FEMALE LONG SLEEVE T-SHIRTS AND POLO-SHIRTS

LGOF LGZF LKOF LKZF QGOF QGZF

XS	S	М	L	XL	XXL	3XL	4XL	5XL
51,5	53	57	61	63	65	67	67	68
63	66	69	72	75	78	81	84	87
82	86	91	96	102	110	114	118	122
66	70	75	80	86	94	98	104	108
90	94	99	105	111	117	123	129	135
39	40	41	42	43	44	45	46	47
	51,5 63 82 66 90	51,5 53 63 66 82 86 66 70 90 94	51,5 53 57 63 66 69 82 86 91 66 70 75 90 94 99	51,5 53 57 61 63 66 69 72 82 86 91 96 66 70 75 80 90 94 99 105	51,5 53 57 61 63 63 66 69 72 75 82 86 91 96 102 66 70 75 80 86 90 94 99 105 111	51,5 53 57 61 63 65 63 66 69 72 75 78 82 86 91 96 102 110 66 70 75 80 86 94 90 94 99 105 111 117	51,5 53 57 61 63 65 67 63 66 69 72 75 78 81 82 86 91 96 102 110 114 66 70 75 80 86 94 98 90 94 99 105 111 117 123	51,5 53 57 61 63 65 67 67 63 66 69 72 75 78 81 84 82 86 91 96 102 110 114 118 66 70 75 80 86 94 98 104 90 94 99 105 111 117 123 129

0


EFL EFS EFX ESL ESS ESX OJ
PF1 PS1 PF2 PS2 PF3 PS3


DESCRIPTION

1. Chest

- 5. Cuff
- 2. Shoulder
- 6. Hip

- 3. Sleeve
- 4. Length






HIV SGW SWW SWW-Z VES-H VES-S VES-T WW

DESCRIPTION


- 1. Chest
- 2. Length (length at the back in the case of VES-T)
- 3. Shoulder



CAS CAL CAL-H SWS SGS

o DESCRIPTION


- 1. Sleeve
- 2. Chest
- 3. Length
- 4. Shoulder
- 5. Cuff



ET ETF NT NTF OT RGA WN

O DESCRIPTION


- 1. Hip
- 2. Length external



SKI

DESCRIPTION

- 1. Waist
- 2. Hip
- 3. Length





COV COVH

DESCRIPTION

- 1. Chest circumference
- 2. Waist circumference
- 3. Hip circumference
- 4. Back length to the hip
- 5. Side length
- 6. Inseam length
- 7. Thigh circumference
- 8. Upper arm circumference

- 9. Sleeve length from the neck area
- 10. Forehead circumference
- 11. Face opening circumference






COA

o DESCRIPTION

- 1. Chest circumference
- 2. Waist circumference
- 3. Hip circumference
- 4. Back length
- 5. Neck circumference
- 6. Upper arm circumference
- 7. Sleeve length from the neck area






JAC

O DESCRIPTION


- 1. Chest circumference
- 2. Waist circumference
- 3. Hip circumference
- 4. Back length
- 5. Neck circumference




TRU

ODESCRIPTION


- 1. Waist circumference (Contracted)
- 2. Waist circumference (Expanded)
- 3. Crotch circumference
- 4. Trousers length
- 5. Inseam
- 6. Thigh circumference



FCH



FMS





LOGO DESIGN

Upon request, we can customize your clothing with your company logo or a personalized inscription.

Please send your logo in *.jpg format via e-mail, we will prepare our offer to you.

NOTES

(25/1)





D és Tsa Bt.

Office and Warehouse:

2600 Vác, Galcsek u. 8-10. Phone: +36 27 502 555 Email: sales@destsa.hu Web: www.dlb.hu

